## RECEIVED CENTRAL FAX CENTER

JUN 0 1 2006



_				
	USPTO FACSIMILE TRANSMITTAL SHEET			
TO:		FROM:		
	Examiner Christopher Brown	James E. Boice, Reg. No. 44,545		
ORC	SANIZATION:	DATE:		
	US Patent and Trademark Office	June 1, 2006		
ART	UNIT:	TOTAL NO. OF PAGES INCLUDING COVER:		
	2134	15		
FAX	NUMBER:	APPLICATION SERIAL NO:		
	571.273.8300	10/062,348		
	517.273.3833			
ENC	CLOSED:	ATTORNEY DOCKET NO:		
	Substitute Appeal Brief	AUS920010978US1		
$\boxtimes$	URGENT   FOR REVIEW   PLEA	ase comment 🏻 please reply 🔛 please recycle		
	TES/COMMENTS:			
De	ar Sir:			
		eal Brief, filed now in response to the Examiner's mpliant Appeal Brief. This Notification was filed		

Please find attached a Substitute Appeal Brief, filed now in response to the Examiner's May 25, 2006 Notification of Non-Compliant Appeal Brief. This Notification was filed due to the inadvertent lack of a listing of support, in the specification or drawings, for claimed subject matter described in the summary of the invention. Such listing is now provided in the attached Substitute Appeal Brief.

Best regards,

James E. Boice

Attorney for Appellants

This fax from the law firm of Dillon & Yudell LLP contains information that is confidential or privileged, or both. This information is intended only for the use of the individual or entity named on this fax cover letter. Any disclosure, copying, distribution or use of this information by any person other than the intended recipient is prohibited. If you have received this fax in error, please notify us by telephone immediately at 512.343.6116 so that we can arrange for the retrieval of the transmitted documents at no cost to you.

8911 N. CAPITAL OF TEXAS HWY., SUITE 2110, AUSTIN, TEXAS 78759 512.343.6116 (V) • 512.343.6446 (F) • DILLONYUDELL.COM

# RECEIVED CENTRAL FAX CENTER

## JUN 0 1 2006

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

ATTY. DOCKET NO.:

AUS920010978US1

IN RE APPLICATION OF:

8 §

§

DAVID YU CHANG, ET AL.

EXAMINER: C

CHRISTOPHER J. BROWN

SERIAL NO.:

10/062,348

တာ တာ တာ တာ

§

§ §

FILED: 31 JANUARY 2002

ART UNIT:

2134

FOR: MULTIPLE SECURE

SOCKET LAYER KEYFILES
FOR CLIENT LOGIN

SUPPORT

§ §

### SUBSTITUTE APPEAL BRIEF UNDER 37 C.F.R. 41.37

Mail Stop Appeal Briefs - Patents Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

This Substitute Appeal Brief is submitted in support of the Appeal of the Examiner's final rejection of Claims 1-12 in the above-identified application. A Notice of Appeal was filed in this case on February 24, 2006 and received in the United States Patent and Trademark Office on February 24, 2006. An original appeal brief was filed on March 21, 2006.

This substitute brief is filed in response to a May 25, 2006 Notification of Non-Compliant Appeal Brief, for failing to list in the specifications or drawings where support for each claim is found. This support is expressly stated in the arguments of the original appeal brief, but not in the summary. Appellants apologize for the oversight.

Appellants do not believe that any additional fees are due for filing this substitute appeal brief. In the event that such fees are due, please charge such fees, as well as any additional required fees, to IBM CORPORATION DEPOSIT ACCOUNT No. 09-0447.

AUS920010978US1 - Substitute Appeal Brief

-1-

Serial No. 10/062,348

CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR 1.8(A)]		
I hereby certify that this correspondence is being:		
deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.		
☑ transmitted by facsimile on the date shown below to the U.S. Patent and Trademark Office at (571) 273-8300.		
6-1-6		
Date James E. Boice		

#### REAL PARTY IN INTEREST

The real party in interest in the present Application is International Business Machines Corporation, the Assignee of the present application as evidenced by the Assignment set forth at reel 012576, frame 0214.

#### RELATED APPEALS AND INTERFERENCES

There are no other appeals or interferences known to Appellants, the Appellants' legal representative, or assignee, which directly affect or would be directly affected by or have a bearing on the Board's decision in the pending appeal.

### STATUS OF CLAIMS

Claims 1-12 stand finally rejected by the Examiner as noted in the Final Office Action dated December 9, 2005. The rejection of Claims 1, 5 and 9 under 35 U.S.C. § 112, first and second paragraphs; and the rejection of Claims 1-12 under 35 U.S.C. § 103(a) are appealed.

#### STATUS OF AMENDMENTS

No amendments to the claims have been made subsequent to the December 9, 2005 Final Office Action from which this Appeal is filed.

#### SUMMARY OF THE CLAIMED SUBJECT MATTER

As recited by Appellants' independent Claim 1, Appellants' invention provides a method for establishing a secure connection to a server for a specific user of a client computer on a network utilizing a Secure Sockets Layer (SSL) system. The method comprises the following steps:

storing a plurality of keyfiles for different users in a data storage that is accessible (1) only to a client computer (as supported by Figure 2 and on page 10, lines 5-17 of the present specification), each of said keyfiles comprising a unique private cryptology key, a corresponding public cryptology key, and a name of a Certificate Authority (CA) that issued the unique private cryptology key and the corresponding public cryptology key for a specific user (as supported on page 9, line 26 to page 10, line 3 of the present specification);

AUS920010978US1 - Substitute Appeal Brief

- **(2)** storing a plurality of passwords in said data storage, each of said passwords being associated with a respective keyfile, each of said passwords being capable of opening only one of said keyfiles (as supported on page 12 lines 4-8 and Figure 2 of the present specification);
- in response to receiving one of said passwords input from the specific user, opening said one of said keyfiles associated with said one of said passwords and said specific user (as supported on page 12, lines 21-24 and Figure 6 of the present specification); and
- transmitting from said client computer to a server a digital certificate from said open keyfile to enable said server to authenticate an identity of said specific user from a plurality of users who are authorized to use said client computer, wherein a secure connection is established with the server for the specific user (as supported on page 12, lines 25-29 and Figure 6 of the present specification).

#### **GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL**

- A. The Examiner's rejection of Claims 1, 5 and 9 under 35 U.S.C. § 112, first paragraph, is to be reviewed on Appeal.
- B. The Examiner's rejection of Claims 1, 5 and 9 under 35 U.S.C. § 112, second paragraph, is to be reviewed on Appeal.
- The Examiner's rejection of Claims 1, 2, 4-6, 8-10 and 12 as being unpatentable under 35 C. USC 103(a) over Wrench Jr. (U.S. Patent Application Publication No. 2002/0104025 -"Wrench") in view of Sasaki, et al. (U.S. Patent No. 6,378,071 - "Sasaki") and Schneier's publication "Applied Cryptography" (Schneier); and Claims 3, 7 and 11 under 35 USC 103(a) over Wrench in view of Sasaki and Schneier and Norris, et al. (U.S. Patent Application Publication No. 2002/0095568 - "Norris"), is to be reviewed on Appeal.

#### **ARGUMENTS**

The Examiner's rejection of Claims 1, 5 and 9 under 35 U.S.C. § 112, first paragraph. A.

The Examiner's rejection of Claims 1, 5 and 9 is improper since the phrases "data storage that is accessible only to a client computer" and "opening only one of said keyfiles" are supported by the specification.

The Examiner has rejected Claims 1, 5 and 9, stating that the limitation "storing a plurality of keyfiles for different users in a data storage that is accessible only to a client computer" is not supported by the specification. However, this feature is supported, inter alia, on page 12, lines 21-26, of the present specification, which discusses protecting access to keyfiles. Specifically, the specification states that a user must enter a password to access the data storage via a GUI on "display 32 using GUI application 40, shown in Figures 3 and 4, respectively, for the user's password 22 that will unlock that user's keyfile 24 containing the user's digital certificate and private key found in authentication data 42 as described in Figure 4." Thus, since only a local input to the client computer will be afford access to the keyfiles, then the data storage is accessible only to the client computer.

The Examiner has also rejected Claims 1, 5 and 9, stating that the limitation "each of said passwords being capable of opening only one of said keyfiles" is not supported by the specification. However, this feature is supported, inter alia, on page 12 line 8, in which 'Each of the multiple users has a unique keyfile 24." As stated on page 10, lines 10-12, the "user identified by user identifier 15a ("User ID 1") enters password 22a ("Password1") to open keyfile 24a ("Keyfile 1"). Thus each of the passwords is "capable of opening only one of said keyfiles," such that "in response to receiving one of said passwords input from the specific user, opening said one of said keyfiles associated with said one of said passwords and said specific user."

Thus, this rejection is not well founded and should be reversed.

В. The Examiner's rejection of Claims 1, 5 and 9 under 35 U.S.C. § 112, second paragraph.

The Examiner's rejection of Claims 1, 5 and 9 is improper since the phrase "the specific user" has support in the preambles of the claims.

The Examiner has rejected Claims 1, 5 and 9 for lack of antecedent basis of the term "the specific user." However, the term "a specific user," to which the term "the specific user" refers, is found in the preamble of the claim, and thus has sufficient antecedent basis. (MPEP 706.03(d))

Thus, this rejection is not well founded and should be reversed.

C. The Examiner's rejection of Claims 1, 2, 4-6, 8-10 and 12 as being unpatentable under 35 USC 103(a) over Wrench Jr. (U.S. Patent Application Publication No. 2002/0104025 -"Wrench") in view of Sasaki, et al. (U.S. Patent No. 6,378,071 - "Sasaki") and Schneier's publication "Applied Cryptography" (Schneier); and Claims 3, 7 and 11 under 35 USC 103(a) over Wrench in view of Sasaki and Schneier and Norris, et al. (U.S. Patent Application Publication No. 2002/0095568 — "Norris").

The Examiner's rejection of Claims 1-12 is improper since the cited prior art does not teach or suggest all of the limitations of the claims.

With reference to exemplary Claim 1, the cited art does not teach or suggest the limitation of "storing a plurality of keyfiles for different users in a data storage that is accessible only to a client computer." Sasaki teaches in Figure 3, and col. 5, lines 40-45, that the CPU in the client computer is to "determine whether the input user ID and password accords with a registered user ID and password." However, there is no teaching or suggestion of the limitation that the data storage is accessible only to the client computer. Rather, in Sasaki the data storage may be accessible through any client computer, as long as the user knows the correct user ID and password.

Furthermore, the cited art does not teach the limitations of "storing a plurality of keyfiles for different users" and "in response to receiving one of said passwords input from the specific user, opening said one of said keyfiles associated with said one of said passwords and said specific user" (i.e., each of the keyfiles are password protected for a specific user). This feature is supported, inter alia, by Figure 4 and the related text. While Wrench teaches that a private key may be password protected (paragraph [0028]), there is no suggestion of storing a different keyfile for each of a plurality of different users. Similarly, while Sasaki teaches that a password and ID checker (user authentication unit 2) may check to see if a password and ID are correct for opening a file, there is no suggestion of multiple "users" having different "keyfiles." Thus, this feature is not taught or suggested by the cited art.

As the cited art does not teach or suggest all of the limitations of the presently claimed invention, this rejection is not well founded and should be reversed.

-7-

#### CONCLUSION

Appellants have pointed out with specificity the manifest error in the Examiner's rejections, and the claim language which renders the invention patentable over the various Appellants, therefore, respectfully request that this case be combinations of references. remanded to the Examiner with instructions to issue a Notice of Allowance for all pending claims.

Respectfully submitted,

James E. Boice

Reg. No. 44,545

DILLON & YUDELL LLP

8911 N. Capital of Texas Highway

**Suite 2110** 

Austin, Texas 78759

512-343-6116

ATTORNEY FOR APPELLANTS

#### CLAIMS APPENDIX

1. A method for establishing a secure connection to a server for a specific user of a client computer on a network utilizing a Secure Sockets Layer (SSL) system, said method comprising:

storing a plurality of keyfiles for different users in a data storage that is accessible only to a client computer, each of said keyfiles comprising a unique private cryptology key, a corresponding public cryptology key, and a name of a Certificate Authority (CA) that issued the unique private cryptology key and the corresponding public cryptology key for a specific user;

storing a plurality of passwords in said data storage, each of said passwords being associated with a respective keyfile, each of said passwords being capable of opening only one of said keyfiles;

in response to receiving one of said passwords input from the specific user, opening said one of said keyfiles associated with said one of said passwords and said specific user; and

transmitting from said client computer to a server a digital certificate from said open keyfile to enable said server to authenticate an identity of said specific user from a plurality of users who are authorized to use said client computer, wherein a secure connection is established with the server for the specific user.

2. The method of claim 1, further comprising:

storing an authentication data for said specific user in said data storage, said authentication data comprising a unique identifier that corresponds to a password for said specific user; and

identifying said specific user for opening a keyfile according to said unique identifier.

3. The method of claim 1, further comprising:

authenticating an identity of said specific user through a process of hashing, said process including the steps of:

hashing a message into a hashed message using a hash function; encrypting said hashed message into an encrypted hashed message using said private cryptology key; and

transmitting said hash function, said message and said encrypted hashed message to said server.

- 4. The method of claim 1, further comprising prompting said specific user for a password through a Graphical User Interface (GUI) in a display associated with said client computer.
- 5. A client computer for establishing a secure connection to a server for a specific user of the client computer on a network utilizing a Secure Sockets Layer (SSL) system, said client computer comprising:

means for storing a plurality of keyfiles for different users in a data storage that is accessible only to a client computer, each of said keyfiles comprising a unique private cryptology key, a corresponding public cryptology key, and a name of a Certificate Authority (CA) that issued the unique private cryptology key and the corresponding public cryptology key for a specific user;

means for storing a plurality of passwords in said data storage, each of said passwords being associated with a respective keyfile, each of said passwords being capable of opening only one of said keyfiles;

means for, in response to receiving one of said passwords input from the specific user, opening said one of said keyfiles associated with said one of said passwords and said specific user: and

means for transmitting from said client computer to a server a digital certificate from said open keyfile to enable said server to authenticate an identity of said specific user from a plurality of users who are authorized to use said client computer, wherein a secure connection is established with the server for the specific user.

6. The client computer of claim 5, further comprising:

means for storing an authentication data for said specific user in said data storage, said authentication data comprising a unique identifier that corresponds to a password for said specific user; and

means for identifying said specific user for opening a keyfile according to said unique identifier.

7. The client computer of claim 5, further comprising:

means for authenticating the identity of said specific user through a process of hashing, said means for authenticating the identity of said specific user through said process of hashing including:

means for hashing a message into a hashed message using a hash function;

means for encrypting said hashed message into an encrypted hashed message using said private cryptology key; and means for transmitting said hash function, said message and said encrypted hashed message to said server.

- 8. The client computer of claim 5, further comprising means for prompting said specific user for a password through a Graphical User Interface (GUI) in a display associated with said client computer.
- A computer program product residing on a computer usable medium for establishing a 9. secure connection to a server for a specific user of a client computer on a network utilizing a Secure Sockets Layer (SSL) system, said computer program product comprising:

program code means for storing a plurality of keyfiles for different users in a data storage that is accessible only to a client computer, each of said keyfiles comprising a unique private cryptology key, a corresponding public cryptology key, and a name of a Certificate Authority (CA) that issued the unique private cryptology key and the corresponding public cryptology key for a specific user;

program code means for storing a plurality of passwords in said data storage, each of said passwords being associated with a respective keyfile, each of said passwords being capable of opening only one of said keyfiles;

program code means for, in response to receiving one of said passwords input from the specific user, opening said one of said keyfiles associated with said one of said passwords and said specific user; and

program code means for transmitting from said client computer to a server a digital certificate from said open keyfile to enable said server to authenticate an identity of said specific user from a plurality of users who are authorized to use said client computer, wherein a secure connection is established with the server for the specific user.

#### 10. The computer program product of claim 9, further comprising:

program code means for storing an authentication data for said specific user in said data storage, said authentication data comprising a unique identifier that corresponds to a password for said specific user; and

program code means for identifying said specific user for opening a keyfile according to said unique identifier.

#### 11. The computer program product of claim 9, further comprising:

program code means for authenticating the identity of the specific user through a process of hashing, said program code means including:

program code means for hashing a message into a hashed message using a hash function:

program code means for encrypting said hashed message into an encrypted hashed message using said private cryptology key; and

program code means for transmitting said hash function, said message and said encrypted hashed message to said server.

#### 12. The computer program product of claim 9, further comprising:

program code means for displaying a Graphical User Interface (GUI) in a display associated with said client computer; and

program code means for prompting said specific user for a password through said GUI.

### EVIDENCE APPENDIX

Other than the Office Action(s) and reply(ies) already of record, no additional evidence has been entered by Appellants or the Examiner in the above-identified application which is relevant to this appeal.

### RELATED PROCEEDINGS APPENDIX

There are no related proceedings as described by 37 C.F.R. §41.37(c)(1)(x) known to Appellants, Appellants' legal representative, or assignee.

PAGE 15/15 \* RCVD AT 6/1/2006 3:58:27 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-5/18 \* DNIS:2738300 \* CSID:5123436446 \* DURATION (mm-ss):03-46